JCPT

Concept–Author–Title

INDEX

VOLUME 34, NUMBERS 1-10, 1995

A

Abou-Kassen, J.H. – Modelling of Emulsion Flow in Porous Media, by S.M. Farouq Ali, J.H. Abou-Kassen, Vol. 34, No. 6, P30-38, June 1995.

Acoustic Impedance – Cement Imaging Through Ultrasonics, by G. Uswak, N. McLafferty, Vol. 34, No. 1, P28-34, January 1995.

Adair, K.L. – New Laboratory Procedures for Evaluation of Drilling Induced Formation Damage and Horizontal Well Performance, by N.G. Gruber, K.L. Adair, Vol. 34, No. 5, P27-32, May 1995.

Adewumi, M. – An Experimental Study of Particle Transport in a Deviated Wellbore, by R.W. Watson, M. Adewumi, S. Tian, J. Hagar, Vol. 34, No. 2, P51-54, February 1995.

Adsorption – Estimation of Average Permeability of Shale From Swelling Data, by S.O. Osisanya, Vol. 34, No. 8, P50-55, October 1995.

Air Drilling – An Experimental Study of Particle Transport in a Deviated Wellbore, by R.W. Watson, M. Adewumi, S. Tian, J., Hagar, Vol. 34, No. 2, P51-54, February 1995.

– Design Techniques in Air and Gas Drilling: Cleaning Criteria and Minimum Flowing Pressure Gradients, by P.W. Johnson, Vol. 34, No. 5, 18-26, May 1995.

Al-Aboudi, M.A.M. – Damage Caused by Clay Based and Clay Free Inhibitive Fluids in Sandstone Formations, by M.A.M. Al-Aboudi, R. Ghofrani, P. Sengupta, Vol. 34, No. 1, P41-46, January 1995.

Al-Marhoun, M.A. – Automated Method for Smoothing Experimental Flash Liberation PVT Data, by H.Y. Al-Yousef, M.A. Al-Marhoun, Vol. 34, No. 3, P42-47, March 1995.

Al-Yousef, H.Y. – Automated Method for Smoothing Experimental Flash Liberation PVT Data, by H.Y. Al-Yousef, M.A. Al-Marhoun, Vol. 34, No. 3, P42-47, March 1995.

Alkaline Flooding – Effect of Horizontal-vertical Well Configuration on Oil Recovery by Alkaline Flooding, by A.A. H. El-Sayed, M.S. Almalik, Vol. 34, No. 9, P19-24, November 1995.

Almalik, M.S. – Effect of Horizontal-vertical Well Configuration on Oil Recovery by Alkaline Flooding, by A.A. H. El-Sayed, M.S. Almalik, Vol. 34, No. 9, P19-24, November 1995.

Ambastha, A.K. – Practical Aspects of Well Test Analysis Under Composite Reservoirs Situations, by A.K. Ambastha, Vol. 34, No. 5, P41-46, May 1995.

Analysis – A Practical and Systematic Approach to Horizontal Well Test Analysis, by L. Mattar, M. Santo, Vol. 34, No. 9, P42-46, November 1995.

Apiay Field – Analysing Pressure Buildup after a Multiple-rate Drillstem Test in a Well Near a Fault, by D.I. Exall, Vol. 34, No. P47-54, May 1995.

Areal-sweep Efficiency – Application of Singular Valve Decomposition to Determine Streamline Distribution for Unit Mobility Ratio Displacement, by R.V. Marathe, U.V. Shenoy, K.C. Khilar, Vol. 34, No. 5, P55-62, May 1995.

Asphaltene Flocculation – Quantification of Asphaltene Flocculation During Miscible CO_2 Flooding in the Weyburn Reservoir, by R.K. Srivastava, S.S. Huang, S.B. Dyer, F.M. Mourits, Vol. 34, No. 8, P31-42, October 1995.

Athabasca Bitumen – Modelling the Dissolution of a Static and Rising CO_2 Bubble into Athabasca Bitumen, by R.J. Dunn, A.K. Mehrotra, Vol. 34, No. 6, P39-46, June 1995.

Austin Chalk – Extrapolation of Fracture Data from Outcrops of the Austin Chalk to Corresponding Petroleum Reservoirs at Depth, by M. Friedman, D.E. McKiernan, Vol. 34, No. 8, P43-49, October 1995.

Automatic History Matching – Reliability of Horizontal Well Performance on a Field-scale Through Automatic History Matching, by N. Kalogerakis, C. Tomos, Vol. 34, No. 9, P47-55, November 1995.

B

Bakken Formation – Stratigraphy and Depositional Environments of the Bakken Formation (Late Devonian – Early Mississippian) West-Central Saskatchewan, by D. Kasper, H. Hendry, R. Renaut, Vol. 34, No. 4, P25-32, April 1995.

Beatty, T. – Minimizing Formation Damage in Horizontal Wells: Laboratory and Field Case Studies, by D.B. Bennion, T. Beatty, B. Hebner, R. Hiscock, Vol. 34, No. 6, P57-63, June 1995.

Belfield, W.C. – Fracture Statistics from Horizontal Wellbores, by W.C. Belfield, J.P. Sovich, Vol. 34, No. 6, 47-50, June 1995.

Bennion, D.B. – Underbalanced Drilling and Formation Damage – Is it a Total Solution?, by D.B. Bennion, F.B. Thomas, D.W. Bennion, R.F. Bietz, Vol. 34, No. 9, P34-41, November 1995.

– Minimizing Formation Damage in Horizontal Wells: Laboratory and Field Case Studies, by D.B. Bennion, T. Beatty, B. Hebner, R. Hiscock, Vol. 34, No. 6, P57-63, June 1995.

Bennion, D.W. – Underbalanced Drilling and Formation Damage – Is it a Total Solution?, by D.B. Bennion, F.B. Thomas, D.W. Bennion, R.F. Bietz, Vol. 34, No. 9, P34-41, November 1995.

Bentsen, R.G., – Effect of Temperature on Three-phase Water-oil-gas Relative Permeabilities of Unconsolidated Sand, by M.A. Muqeem, R.G. Bentsen, B.B. Maini, Vol. 34, No. 3, P34-41, March 1995.

Berea Sandstone – Assessment of Solvent Extraction Efficiency in Sandstones Using Bet Specific Surface Area Measurements, by P.R. French, K. Mannhardt, N. De Bree, J.C. Shaw, Vol. 34, No. 3, P27-33, March 1995.

Bietz, R.F. – Underbalanced Drilling and Formation Damage – Is it a Total Solution?, by D.B. Bennion, F.B. Thomas, D.W. Bennion, R.F. Bietz, Vol. 34, No. 9, P34-41, November 1995.

Bitumen – Vertical Injection Wells for SAGD: A Practical Option or Not?, by G. Sawhney, H. Liebe, R.M. Butler, Vol. 34, No. 1, P47-54, January 1995.

Blocking – Waterflooding Bottom Water Formations Using the Dynamic Blocking Method, by K. Yeung, S.M. Farouq Ali, Vol. 34, No. 7, P50-57, September 1995.

Bottom Water – *Steam*-CO_2 Recovery Processes for Bottom Water Oil Reservoirs, by T.N. Nasr, G.E. Pierce, Vol. 34, No. 7, P42-49, September 1995.

– Waterflooding Bottom Water Formations Using the Dynamic Blocking Method, by K. Yeung, S.M. Farouq Ali, Vol. 34, No. 7, P50-57, September 1995.

Bouhroum, A. – A Critical Review of Existing Gravel-pack Design Criteria, by A. Bouhroum, F. Civan, Vol. 34, No. 1, P41-46, January 1995.

Bozac, P.E. – An Analytical Software for Pool-wide Performance Prediction of EOR Processes, by T. Okazawa, P.E. Bozac, A.C. Seto, G.R. Howe, Vol. 34, No. 4, P41-49, April 1995.

Bridging Materials – Damage Caused by Clay Based and Clay Free Inhibitive Fluids in Sandstone Formations, by M.A.M. Al-Aboudi, R. Ghofrani, P. Sengupta, Vol. 34, No. 1, P41-46, January 1995.

Bubblepoint Pressure – Automated Method for Smoothing Experimental Flash Liberation PVT Data, by H.Y. Al -Yousef, M.A. Al-Marhoun,Vol. 34, No. 3, P42-47, March 1995.

Butler, R.M. – Vertical Injection Wells for SAGD: A Practical Option or Not?, by G. Sawhney, H. Liebe, R.M. Butler, Vol. 34, No. 1, P47-54, January 1995.

Byrnes, T. – Coalbed Methane in Alberta, by T. Byrnes, K. Schuldhaus, Vol. 34, No. 3, P57-62, March 1995.

C

Canadian Coiled Tubing Horizontal Drilling Applications – Canadian Coiled Tubing Horizontal Drilling: Technology and Applications, by R. Hatala, M.T. Olanson, P. Davis, Vol. 34, No. 6, P22-29, June 1995.

Capillary Continuity – Computation of Gas-liquid Drainage in Fractured Porous Media Recognizing Fracture Liquid Flow, by A. Firoozabadi, B. Dindoruk, Vol. 34, No. 10, P39-49, December 1995.

Capillary Forces – Computation of Mud Filtrate Invasion Profiles, by G.D. Phelps, Vol. 34, No. 1, P18-27, January 1995.

Carbon Dioxide – Modelling the Dissolution of a Static and Rising CO_2 Bubble into Athabasca Bitumen, by R.J. Dunn, A.K. Mehrotra, Vol. 34, No. 6, P39-46, June 1995.

– Steam-CO_2 Recovery Processes for Bottom Water Oil Reservoirs, by T.N. Nasr, G.E. Pierce, Vol. 34, No. 7, P42-49, September 1995.

Carbonate Reservoirs – Two Phase Relative Permeabilities Using the Ultracentrifuge, by A. Kantzas, B. Nikakhtar, D. Ruth, M. Pow, Vol. 34, No. 7, P58-63, September 1995.

– Vertical and Lateral Variations in Fracture Spacing in Folded Carbonate Sections and its Relation to Locating Horizontal Wells, by R. Nelson, S. Serra, Vol. 34, No. 6, P51-56, June 1995.

Carlson, M.R. – The Effects of Reservoir Heterogeneity on Predicted Waterflood Performance in the Dodsland Field, by M.R. Carlson, Vol. 34, No. 10, , December 1995.

Cement Bond Log – Cement Imaging Through Ultrasonics, by G. Uswak, N. McLafferty, Vol. 34, No. 1, P28-34, January 1995.

Centrifuge Technology – Two Phase Relative Permeabilities Using the Ultracentrifuge, by A. Kantzas, B. Nikakhtar, D. Ruth, M. Pow, Vol. 34, No. 7, P58-63, September 1995.

Chemical – Controlling Sand Production During Downhole Emulsification, by A.K.M. Jamaluddin, T.W. Nazarko, Vol. 34, No. 7, P22-28, September 1995.

Civan, F. – A Critical Review of Existing Gravel-pack Design Criteria, by A. Bouhroum, F. Civan, Vol. 34, No. 1, P41-46, January 1995.

– Correlation of the Non-Darcy Flow Coefficient, by F. Civan, X. Lui, R.D. Evans, Vol. 34, No. 10, , December 1995.

CO_2 Flooding – Quantification of Asphaltene Flocculation During Miscible CO_2 Flooding in the Weyburn Reservoir, by R.K. Srivastava, S.S. Huang, S.B. Dyer, F.M. Mourits, Vol. 34, No. 8, P31-42, October 1995.

Coal Seam Gas – Coalbed Methane in Alberta, by T. Byrnes, K. Schuldhaus, Vol. 34, No. 3, P57-62, March 1995.

Coalbed Methane – Coalbed Methane in Alberta, by T. Byrnes, K. Schuldhaus, Vol. 34, No. 3, P57-62, March 1995.

Coiled Tubing – Recent Advances in Horizontal Drilling, by W.C. Maurer, Vol. 34, No. 9, P25-33, November 1995.

Coiled Tubing Drilling – Canadian Coiled Tubing Horizontal Drilling: Technology and Applications, by R. Hatala, M.T. Olanson, P. Davis, Vol. 34, No. 6, P22-29, June 1995.

Cold Lake – Steam-CO_2 Recovery Processes for Bottom Water Oil Reservoirs, by T.N. Nasr, G.E. Pierce, Vol. 34, No. 7, P42-49, September 1995.

Combined Load – Resistance and Deformation of Tubular Goods Under Nonuniform and Combined External Loads, by A.A.H. El-Sayed, Vol. 34, No. 2, P44-50, February 1995.

Combustion – Improvement of Heavy and Light Oil Recovery with Thermocatalytic In Situ Combustion, by M. Ranjbar, Vol. 34, No. 8, P25-30, October 1995.

Comparison – Effect of Temperature on Three-phase Water-oil-gas Relative Permeabilities of Unconsolidated Sand, by M.A. Muqeem, R.G. Bentsen, B.B. Maini, Vol. 34, No. 3, P34-41, March 1995.

Compartmental Model – Pressure Transient Testing of the Heterogeneous Reservoirs, by R. Pecher, J.F. Stanislav, C.V. Easwaran, Vol. 34, No. 3, P19-26, March 1995.

Composite Reservoirs – Practical Aspects of Well Test Analysis Under Composite Reservoirs Situations, by A.K. Ambastha, Vol. 34, No. 5, P41-46, May 1995.

Computer – Managing Hydrocarbon Injection at Judy Creek, by C.J. Lloyd, Vol. 34, No. 2, P36-43, February 1995.

Confidence Intervals – Reliability of Horizontal Well Performance on a Field-scale Through Automatic History Matching, by N. Kalogerakis, C. Tomos, Vol. 34, No. 9, P47-55, November 1995.

Conformance Control – Steam-foam Drive Experiments in One-eighth of a Five-spot Pattern, by D.H.-S. Law, R. Ridley, K.D. Kimber, Vol. 34, No. 2, P55-61, February 1995.

Coning – New Laboratory Procedures for Evaluation of Drilling Induced Formation Damage and Horizontal Well-Performance, by N.G. Gruber, K.L. Adair, Vol. 34, No. 5, P27-32, May 1995.

Containment – Estimation of Average Permeability of Shale From Swelling Data, by S.O. Osisanya, Vol. 34, No. 8, P50-55, October 1995.

Control – Controlling Sand Production During Downhole Emulsification, by A.K.M. Jamaluddin, T.W. Nazarko, Vol. 34, No. 7, P22-28, September 1995.

Core Cleaning – Assessment of Solvent Extraction Efficiency in Sandstones Using Bet Specific Surface Area Measurements, by P.R. French, K. Mannhardt, N. De Bree, J.C. Shaw, Vol. 34, No. 3, P27-33, March 1995.

Correlation – Correlation of the Non-Darcy Flow Coefficient, by F. Civan, X. Lui, R.D. Evans, Vol. 34, No. 10, December 1995.

Countess Mannville "MM" Pool – Minimizing Formation Damage in Horizontal Wells: Laboratory and Field Case Studies, by D.B. Bennion, T. Beatty, B. Hebner, R. Hiscock, Vol. 34, No. 6, P57-63, June 1995.

Crossfield Cardium – Assessment of Solvent Extraction Efficiency in Sandstones Using Bet Specific Surface Area Measurements, by P.R. French, K. Mannhardt, N. De Bree, J.C. Shaw, Vol. 34, No. 3, P27-33, March 1995.

Crossflow – Theoretical Analysis of Miscible Displacement in Fractured Porous Media by a One-dimensional Model – Part 1: Theory, by C-T. Tan, A. Firoozabadi, Vol. 34, No. 2, P17-27, February 1995.

– Theoretical Analysis of Miscible Displacement in Fractured Porous Media by a One-dimensional Model – Part 2: Features, by C-T. Tan, A. Firoozabadi, Vol. 34, No. 2, P28-35, February 1995.

– Waterflooding Bottom Water Formations Using the Dynamic Blocking Method, by K. Yeung, S.M. Farouq Ali, Vol. 34, No. 7, 50-57, September 1995.

Cummings Formation – Evaluation of Cyclic Steam Performance and Mechanisms in Mobile Heavy Oil Reservoirs at Elk Point Thermal Pilot, by R.S. Karyampudi, Vol. 34, No. 3, P48-56, March 1995.

Cuttings Transport – Design Techniques in Air and Gas Drilling: Cleaning Criteria and Minimum Flowing Pressure Gradients, by P.W. Johnson, Vol. 34, No. 5, P18-26, May 1995.

Cyclic Steam Stimulation – Evaluation of Cyclic Steam Performance and Mechanisms in Mobile Heavy Oil Reservoirs at Elk Point Thermal Pilot, by R.S. Karyampudi, Vol. 34, No. 3, P48-56, March 1995.

D

Damage Ratio – Damage Caused by Clay Based and Clay Free Inhibitive Fluids in Sandstone Formations, by M.A.M. Al-Aboudi, R. Ghofrani, P. Sengupta, Vol. 34, No. 1, P41-46, January 1995.

Data Smoothing – Automated Method for Smoothing Experimental Flash Liberation PVT Data, by H.Y. Al-Yousef, M.A. Al-Marhoun, Vol. 34, No. 3, P42-47, March 1995.

Davis, P. – Canadian Coiled Tubing Horizontal Drilling: Technology and Applications, by R. Hatala, M.T. Olanson, P. Davis, Vol. 34, No. 6, P22-29, June 1995.

Davison, R.J. – Electromagnetic Stimulation of Lloydminster Heavy Oil Reservoirs: Field Test Results, by R.J. Davison, Vol. 34, No. 4, P15-24, April 1995.

De Bree, N. – Assessment of Solvent Extraction Efficiency in Sandstones Using Bet Specific Surface Area Measurements, by P.R. French, K. Mannhardt, N. De Bree, J.C. Shaw, Vol. 34, No. 3, P27-33, March 1995.

Depositional Environments – Stratigraphy and Depositional Environments of the Bakken Formation (Late Devonian—Early Mississippian) West-Central Saskatchewan, by D. Kasper, H. Hendry, R. Renaut, Vol. 34, No. 4, P25-32, April 1995.

Deviated Wellbore – An Experimental Study of Particle Transport in a Deviated Wellbore, by R.W. Watson, M. Adewumi, S. Tian, J. Hagar, Vol. 34, No. 2, P51-54, February 1995.

Dindoruk, B. – Computation of Gas-liquid Drainage in Fractured Porous Media Recognizing Fracture Liquid Flow, by A. Firoozabadi, B. Dindoruk, Vol. 34, No. 10, P39-49, December 1995.

Directional Drilling – Vertical and Lateral Variations in Fracture Spacing in Folded Carbonate Sections and its Relation to Locating Horizontal Wells, by R. Nelson, S. Serra, Vol. 34, No. 6, P51-56, June 1995.

Dodsland – The Effects of Reservoir Heterogeneity on Predicted Waterflood Performance in the Dodsland Field, by M.R. Carlson, Vol. 34, No. 10, , December 1995.

Downhole Emulsification – Controlling Sand Production During Downhole Emulsification, by A.K.M. Jamaluddin, T.W. Nazarko, Vol. 34, No. 7, P22-28, September 1995.

Drill Bits – Recent Advances in Horizontal Drilling, by W.C. Maurer, Vol. 34, No. 9, P25-33, November 1995.

Drilling – Underbalanced Drilling and Formation Damage—Is it a Total Solution?, by D.B. Bennion, F.B. Thomas, D.W. Bennion, R.F. Bietz, Vol. 34, No. 9, P34-41, November 1995.

Drilling Motors – Recent Advances in Horizontal Drilling, by W.C. Maurer, Vol. 34, No. 9, P25-33, November 1995.

Drilling – Minimizing Formation Damage in Horizontal Wells: Laboratory and Field Case Studies, by D.B. Bennion, T. Beatty, B. Hebner, R. Hiscock, Vol. 34, No. 6, P57-63, June 1995.

Drillstem Tests – Analysing Pressure Buildup after a Multiple-rate Drillstem Test in a Well Near a Fault, by D.I. Exall, Vol. 34, No. 5, P47-54, May 1995.

Dunn, R.J. – Modelling the Dissolution of a Static and Rising CO_2 Bubble into Athabasca Bitumen, by R.J. Dunn, A.K. Mehrotra, Vol. 34, No. 6, P39-46, June 1995.

Dyer, S.B. – Quantification of Asphaltene Flocculation During Miscible CO_2 Flooding in the Weyburn Reservoir, by R.K. Srivastava, S.S. Huang, S.B. Dyer, F.M. Mourits, Vol. 34, No.8, P31-42, October 1995.

Dynamic Filtration – Computation of Mud Filtrate Invasion Profiles, by G.D. Phelps, Vol. 34, No. 1, P18-27, January 1995.

Dynamic Flow Distribution – An Analytical Software for Pool-wide Performance Prediction of EOR Processes, by T. Okazawa, P.E. Bozac, A.C. Seto, G.R. Howe, Vol. 34, No. 4, P41-49, April 1995.

E

Easwaran, C.V. – Pressure Transient Testing of the Heterogeneous Reservoirs, by R. Pecher, J.F. Stanislav, C.V. Easwaran, Vol. 34, No. 3, P19-26, March 1995.

El-Sayed, A.A.H. – Effect of Horizontal-vertical Well Configuration on Oil Recovery by Alkaline Flooding, by A.A.H. El-Sayed, M.S. Almalik, Vol. 34, No. 9, P19-24, November 1995.

– Resistance and Deformation of Tubular Goods Under Nonuniform and Combined External Loads, by A.A.H. El-Sayed, Vol. 34, No. 2, P44-50, February 1995.

Electromagnetic Stimulation – Electromagnetic Stimulation of Lloydminster Heavy Oil Reservoirs: Field Test Results, by R.J. Davison, Vol. 34, No. 4, P15-24, April 1995.

Elk Point – Evaluation of Cyclic Steam Performance and Mechanisms in Mobile Heavy Oil Reservoirs at Elk Point Thermal Pilot, by R.S. Karyampudi, Vol. 34, No. 3, P48-56, March 1995.

Elliott, D.C. – Reserve Estimates: Uncertainty and its Implications, by D.C. Elliott, Vol. 34, No. 4, P59-62, April 1995.

Emulsion – Modelling of Emulsion Flow in Porous Media, by S.M. Farouq Ali, J.H. Abou-Kassen, Vol. 34, No. 6, P30-38, June 1995.

Emulsions – Waterflooding Bottom Water Formations Using the Dynamic Blocking Method, by K. Yeung, S.M. Farouq Ali, Vol. 34, No. 7, P50-57, September 1995.

Energy Resources Conservation Board – Coalbed Methane in Alberta, by T. Byrnes, K. Schuldhaus, Vol. 34, No. 3, P57-62, March 1995.

Enhanced Oil Recovery – Managing Hydrocarbon Injection at Judy Creek, by C.J. Lloyd, Vol. 34, No. 2, P36-43, February 1995.

– Modelling of Emulsion Flow in Porous Media, by S.M. Farouq Ali, J.H. Abou-Kassen, Vol. 34, No. 6, P30-38, June, 1995.

– Quantification of Asphaltene Flocculation During Miscible CO_2 Flooding in the Weyburn Reservoir, by R.K. Srivastava, S.S. Huang, S.B. Dyer, F.M. Mourits, Vol. 34, No. 8, P31-42, October 1995.

Enhanced Steam-assisted Gravity Drainage – A New Horizontal Well Recovery Process for Peace River, Canada, by R. Hamm, T. Ong, Vol. 34, No. 4, P33-40, April 1995.

Environmental Control—Downhole Water Loop – A New Completion Method to Minimize Oilwell Production Water Cut in a Bottom-water-drive Reservoir, by A.K. Wojtanowicz, H. Xu, Vol. 34, No. 8, P56-62, October 1995.

Evans, R.D. – Correlation of the Non-Darcy Flow Coefficient, by F. Civan, X. Lui, R.D. Evans, Vol. 34, No. 10, P50-54, December 1995.

Evaporite Formations – Resistance and Deformation of Tubular Goods Under Nonuniform and Combined External Loads, by A.A.H. El-Sayed, Vol. 34, No. 2, P44-50, February 1995.

Exall, D.I. – Analysing Pressure Buildup after a Multiple-rate Drillstem Test in a Well Near a Fault, by D.I. Exall, Vol. 34, No. 5, P47-54, May 1995.

Experimental – Steam-CO_2 Recovery Processes for Bottom Water Oil Reservoirs, by T.N. Nasr, G.E. Pierce, Vol. 34, No. 7, P42-49, September 1995.

External Load – Resistance and Deformation of Tubular Goods Under Nonuniform and Combined External Loads, by A.A.H. El-Sayed, Vol. 34, No. 2, P44-50, February 1995.

Extrapolation – Extrapolation of Fracture Data from Outcrops of the Austin Chalk to Corresponding Petroleum Reservoirs at Depth, by M. Friedman, D.E. McKiernan, Vol. 34, No. 8, P43-49, October 1995.

F

Facies – Stratigraphy and Depositional Environments of the Bakken Formation (Late Devonian—Early Mississippian) West-Central Saskatchewan, by D. Kasper, H. Hendry, R. Renaut, Vol. 34, No. 4, P25-32, April 1995.

Farouq Ali, S.M. – Modelling of Emulsion Flow in Porous Media, by S.M. Farouq Ali, J.H. Abou-Kassen, Vol. 34, No. 6, P30-38, June 1995.

– Waterflooding Bottom Water Formations Using the Dynamic Blocking Method, by K. Yeung, S.M. Farouq Ali, Vol. 34, No. 7, P50-57, September 1995.

Faults – Analysing Pressure Buildup after a Multiple-rate Drillstem Test in a Well Near a Fault, by D.I. Exall, Vol. 34, No. 5, P47-54, May 1995.

Filtercake – Computation of Mud Filtrate Invasion Profiles, by G.D. Phelps, Vol. 34, No. 1, P18-27, January 1995.

Filtrate Invasion – Computation of Mud Filtrate Invasion Profiles, by G.D. Phelps, Vol. 34, No. 1, P18-27, January 1995.

Firoozabadi, A. – Computation of Gas-liquid Drainage in Fractured Porous Media Recognizing Fracture Liquid Flow, by A. Firoozabadi, B. Dindoruk, Vol. 34, No. 10, P39-49, December 1995.

– Theoretical Analysis of Miscible Displacement in Fractured Porous Media by a One-dimensional Model—Part 1: Theory, by C-T. Tan, A. Firoozabadi, Vol. 34, No. 2, P17-27, February 1995.

– Theoretical Analysis of Miscible Displacement in Fractured Porous Media by a One-dimensional Model—Part 2: Features, by C-T. Tan, A. Firoozabadi, Vol. 34, No. 2, P28-35, February 1995.

Flash Liberation – Automated Method for Smoothing Experimental Flash Liberation PVT Data, by H.Y. Al-Yousef, M.A. Al-Marhoun, Vol. 34, No. 3, P42-47, March 1995.

Flow in Porous Media – Modelling of Emulsion Flow in Porous Media, by S.M. Farouq Ali, J.H. Abou-Kassen, Vol. 34, No. 6, P30-38, June 1995.

Foam Drilling – Underbalanced Drilling and Formation Damage—Is it a Total Solution?, by D.B. Bennion, F.B. Thomas, D.W., Bennion, R.F. Bietz, Vol. 34, No. 9, P34-41, November 1995.

Foaming Agent – Steam-foam Drive Experiments in One-eighth of a Five-spot Pattern, by D.H.-S. Law, R. Ridley, K.D. Kimber, Vol. 34, No. 2, P55-61, February 1995.

Foamy Oil Behaviour – Evaluation of Cyclic Steam Performance and Mechanisms in Mobile Heavy Oil Reservoirs at Elk Point Thermal Pilot, by R.S. Karyampudi, Vol. 34, No. 3, P48-56, March 1995.

Forchheimer Equation – Correlation of the Non-Darcy Flow Coefficient, by F. Civan, X. Lui, R.D. Evans, Vol. 34, No. 10, December 1995.

Forecast – An Analytical Software for Pool-wide Performance Prediction of EOR Processes, by T. Okazawa, P.E. Bozac, A.C. Seto, G.R. Howe, Vol. 34, No. 4, P41-49, April 1995.

Forecasted Production Uncertainty – Reliability of Horizontal Well Performance on a Field-scale Through Automatic History Matching, by N. Kalogerakis, C. Tomos, Vol. 34, No. 9, P47-55, November 1995.

Formation Characteristics – Evolution of Steam-based Technology for the Recovery of Canadian Heavy Oil Reservoirs, by M. Polikar, D.A. Redford, Vol. 34, No. 5, P33-40, May 1995.

Formation Damage – Minimizing Formation Damage in Horizontal Wells: Laboratory and Field Case Studies, by D.B. Bennion, T. Beatty, B. Hebner, R. Hiscock, Vol. 34, No. 6, P57-63, June 1995.

– New Laboratory Procedures for Evaluation of Drilling Induced Formation Damage and Horizontal Well Performance, by N.G. Gruber, K.L. Adair, Vol. 34, No. 5, P27-32, May 1995.

- Underbalanced Drilling and Formation Damage—Is it a Total Solution?, by D.B. Bennion, F.B. Thomas, D.W. Bennion, R.F. Bietz, Vol. 34, No. 9, P34-41, November 1995.
- Underbalance Drilling—Surface Control Systems, by B. Lunan, Vol. 34, No. 7, 29-35, September 1995.

Fracture Detection – Evaluation of Cyclic Steam Performance and Mechanisms in Mobile Heavy Oil Reservoirs at Elk Point Thermal Pilot, by R.S. Karyampudi, Vol. 34, No. 3, P48-56, March 1995.

Fracture Intensity – Vertical and Lateral Variations in Fracture Spacing in Folded Carbonate Sections and its Relation to Locating Horizontal Wells, by R. Nelson, S. Serra, Vol. 34, No. 6, P51-56, June 1995.

Fractured Porous Media – Theoretical Analysis of Miscible Displacement in Fractured Porous Media by a One-dimensional Model—Part 1: Theory, by C-T. Tan, A. Firoozabadi, Vol. 34, No. 2, P17-27, February 1995.

Fractured Reservoirs – Computation of Gas-liquid Drainage in Fractured Porous Media Recognizing Fracture Liquid Flow, by A. Firoozabadi, B. Dindoruk, Vol. 34, No. 10, P39-49, December 1995.

Fractured Porous Media – Theoretical Analysis of Miscible Displacement in Fractured Porous Media by a One-dimensional Model—Part 2: Fractured Porous Media, by C-T. Tan, A. Firoozabadi, Vol. 34, No. 2, P17-27, February 1995.

Fractured Reservoirs – Vertical and Lateral Variations in Fracture Spacing in Folded Carbonate Sections and its Relation to Locating Horizontal Wells, by R. Nelson, S. Serra, Vol. 34, No. 6, P51-56, June 1995.

French, P.R. – Assessment of Solvent Extraction Efficiency in Sandstones Using Bet Specific Surface Area Measurements, by P.R. French, K. Mannhardt, N. De Bree, J.C. Shaw, Vol. 34, No. 3, P27-33, March 1995.

Friedman, M. – Extrapolation of Fracture Data from Outcrops of the Austin Chalk to Corresponding Petroleum Reservoirs at Depth, by M. Friedman, D.E. McKiernan, Vol. 34, No. 8, P43-49, October 1995.

Full-field Simulation – An Analytical Software for Pool-wide Performance Prediction of EOR Processes, by T. Okazawa, P.E. Bozac, A.C. Seto, G.R. Howe, Vol. 34, No. 4, P41-49, April 1995.

G

Gas Injection – A Novel Gaslift Tool for Improving Production in Marginal Wells, by P. Toma, G. Korpany, P. Harris, R. Landry, K. Reber, Vol. 34, No. 4, P50-58, April 1995.

Gas Dissolution – Modelling the Dissolution of a Static and Rising CO_2 Bubble into Athabasca Bitumen, by R.J. Dunn, A.K. Mehrotra, Vol. 34, No. 6, P39-46, June 1995.

Gas Drilling – Design Techniques in Air and Gas Drilling: Cleaning Criteria and Minimum Flowing Pressure Gradients, by P.W. Johnson, Vol. 34, No. 5, P18-26, May 1995.

Gas-condensates – A Generalized Approach to Material Balance Calculations, by M. Walsh, Vol. 34, No. 1, P55-63, January 1995.

Gaslift – A Novel Gaslift Tool for Improving Production in Marginal Wells, by P. Toma, G. K., P. Harris, R. Landry, K. Reber, Vol. 34, No. 4, P50-58, April 1995.

Gas-liquid Drainage – Computation of Gas-liquid Drainage in Fractured Porous Media Recognizing Fracture Liquid Flow, by A. Firoozabadi, B. Dindoruk, Vol. 34, No. 10, December 1995.

Gauss-Newton – Reliability of Horizontal Well Performance on a Field-scale Through Automatic History Matching, by N. Kalogerakis, C. Tomos, Vol. 34, No. 9, P47-55, November 1995.

Geology – Evolution of Steam-based Technology for the Recovery of Canadian Heavy Oil Reservoirs, by M. Polikar, D.A. Redford, Vol. 34, No. 5, P33-40, May 1995.

Ghofrani, R. – Damage Caused by Clay Based and Clay Free Inhibitive Fluids in Sandstone Formations, by M.A.M. Al-Aboudi, R. Ghofrani, P. Sengupta, Vol. 34, No. 1, P41-46, January 1995.

Gillies, R.G. – Oil, Water and Sand Flow Experiments in a Model Horizontal Well, by R.G. Gillies, M.J. McKibben, C.A. Shook, Vol. 34, No. 9, P56-63, November 1995.

Glauconite – Minimizing Formation Damage in Horizontal Wells: Laboratory and Field Case Studies, by D.B. Bennion, T. Beatty, B. Hebner, R. Hiscock, Vol. 34, No. 6, P57-63, June 1995.
- New Laboratory Procedures for Evaluation of Drilling Induced Formation Damage and Horizontal Well Performance, by N.G. Gruber, K.L. Adair, Vol. 34, No. 5, P27-32, May 1995.

Gravel Packing – A Critical Review of Existing Gravel-pack Design Criteria, by A. Bouhroum, F. Civan, Vol. 34, No. 1, P41-46, January 1995.

Gravity Number – Theoretical Analysis of Miscible Displacement in Fractured Porous Media by a One-dimensional Model—Part 1: Features, by C-T. Tan, A. Firoozabadi, Vol. 34, No. 2, P28-35, February 1995.
- Theoretical Analysis of Miscible Displacement in Fractured Porous Media by a One-dimensional Model—Part 2: Theory, by C-T. Tan, A. Firoozabadi, Vol. 34, No. 2, P17-27, February 1995.

Gravity Drainage – Computation of Gas-liquid Drainage in Fractured Porous Media Recognizing Fracture Liquid Flow, by A. Firoozabadi, B. Dindoruk, Vol. 34, No. 10, P39-49, December 1995.

Gruber, N.G. – New Laboratory Procedures for Evaluation of Drilling Induced Formation Damage and Horizontal Well Performance, by N.G. Gruber, K.L. Adair, Vol. 34, No. 5, P27-32, May 1995.

H

Hagar, J. – An Experimental Study of Particle Transport in a Deviated Wellbore, by R.W. Watson, M. Adewumi, S. Tian, J. Hagar, Vol. 34, No. 2, P51-54, February 1995.

Halkirk – New Laboratory Procedures for Evaluation of Drilling Induced Formation Damage and Horizontal Well Performance, by N.G. Gruber, K.L. Adair, Vol. 34, No. 5, P27-32, May 1995.

Hamm, R. – Enhanced Steam-assisted Gravity Drainage – A New Horizontal Well Recovery Process for Peace River, Canada, by R. Hamm, T. Ong, Vol. 34, No. 4, P33-40, April 1995.

Harris, P. – A Novel Gaslift Tool for Improving Production in Marginal Wells, by P. Toma, G. Korpany, P. Harris, R. Landry, K. Reber, Vol. 34, No. 4, P50-58, April 1995.

Hatala, R. – Canadian Coiled Tubing Horizontal Drilling: Technology and Applications, by R. Hatala, M.T. Olanson, P. Davis, Vol. 34, No. 6, P22-29, June 1995.

Heavy Oil – Controlling Sand Production During Downhole Emulsification, by A.K.M. Jamaluddin, T.W. Nazarko, Vol. 34, No. 7, P22-28, September 1995.
- Electromagnetic Stimulation of Lloydminster Heavy Oil Reservoirs: Field Test Results, by R.J. Davison, Vol. 34, No. 4, P15-24, April 1995.
- Evolution of Steam-based Technology for the Recovery of Canadian Heavy Oil Reservoirs, by M. Polikar, D.A. Redford, Vol. 34, No. 5, P33-40, May 1995.
- Steam-foam Drive Experiments in One-eighth of a Five-spot Pattern, by D.H.-S. Law, R. Ridley, K.D. Kimber, Vol. 34, No. 2, P55-61, February 1995.
- Vertical Injection Wells for SAGD: A Practical Option or Not?, by G. Sawhney, H. Liebe, R.M. Butler, Vol. 34, No. 1, P47-54, January 1995.

Hebner, B. – Minimizing Formation Damage in Horizontal Wells: Laboratory and Field Case Studies, by D.B. Bennion, T. Beatty, B. Hebner, R. Hiscock, Vol. 34, No. 6, P57-63, June 1995.

Hendry, H. – Stratigraphy and Depositional Environments of the Bakken Formation (Late Devonian—Early Mississippian) West-Central Saskatchewan, by D. Kasper, H. Hendry, R. Renaut, Vol. 34, No. 4, P25-32, April 1995.

Hetergenous Reservoirs – Pressure Transient Testing of the Heterogeneous Reservoirs, by R. Pecher, J.F. Stanislav, C.V. Easwaran, Vol. 34, No. 3, P19-26, March 1995.

Hiscock, R. – Minimizing Formation Damage in Horizontal Wells: Laboratory and Field Case Studies, by D.B. Bennion, T. Beatty, B. Hebner, R. Hiscock, Vol. 34, No. 6, P57-63, June 1995.

History Match – An Analytical Software for Pool-wide Performance Prediction of EOR Processes, by T. Okazawa, P.E. Bozac, A.C. Seto, G.R. Howe, Vol. 34, No. 4, P41-49, April 1995.

History Matching – Two Phase Relative Permeabilities Using the Ultracentrifuge, by A. Kantzas, B. Nikakhtar, D. Ruth, M. Pow, , Vol. 34, No. 7, P58-63, September 1995.

Horizontal Wells – A Practical and Systematic Approach to Horizontal Well Test Analysis, by L. Mattar, M. Santo, Vol. 34, No. 9, P42-46, November 1995.
- Canadian Coiled Tubing Horizontal Drilling: Technology and Applications, by R. Hatala, M.T. Olanson, P. Davis, Vol. 34, No. 6, P22-29, June 1995.
- Effect of Horizontal-vertical Well Configuration on Oil Recovery by Alkaline Flooding, by A.A. H. El-Sayed, M.S. Almalik, Vol. 34, No. 9, P19-24, November 1995.
- Enhanced Steam-assisted Gravity Drainage—A New Horizontal Well Recovery Process for Peace River, Canada, by R. Hamm, T. Ong, Vol. 34, No. 4, P33-40, April 1995.

- Evolution of Steam-based Technology for the Recovery of Canadian Heavy Oil Reservoirs, by M. Polikar, D.A. Redford, Vol. 34, No. 5, P33-40, May 1995.
- Extrapolation of Fracture Data from Outcrops of the Austin Chalk to Corresponding Petroleum Reservoirs at Depth, by M. Friedman, D.E. McKiernan, Vol. 34, No. 8, P43-49, October 1995.
- Fracture Statistics from Horizontal Wellbores, by W.C. Belfield, J.P. Sovich, Vol. 34, No. 6, P47-50, June 1995.
- Minimizing Formation Damage in Horizontal Wells: Laboratory and Field Case Studies, by D.B. Bennion, T. Beatty, B. Hebner, R. Hiscock, Vol. 34, No. 6, P57-63, June 1995.
- New Laboratory Procedures for Evaluation of Drilling Induced Formation Damage and Horizontal Well Performance, by N.G. Gruber, K.L. Adair, Vol. 34, No. 5, P27-32, May 1995.
- Optimization of a Mature Steam Flood Utilizing Horizontal Wells, Midway Sunset Field, by J.D. Kuhach, N.A. Myhill, Vol. 34, No. 7, P36-41, September 1995.
- Recent Advances in Horizontal Drilling, by W.C. Maurer, Vol. 34, No. 9, P25-33, November 1995.
- Reliability of Horizontal Well Performance on a Field-scale Through Automatic History Matching, by N. Kalogerakis, C. Tomos, Vol. 34, No. 9, P47-55, November 1995.
- Vertical Injection Wells for SAGD: A Practical Option or Not?, by G. Sawhney, H. Liebe, R.M. Butler, Vol. 34, No.1, P47-54, January 1995.

Hot Water – Steam-CO_2 Recovery Processes for Bottom Water Oil Reservoirs, by T.N. Nasr, G.E. Pierce, Vol. 34, No. 7, P42-49, September 1995.

Howe, G.R. – An Analytical Software for Pool-wide Performance Prediction of EOR Processes, by T. Okazawa, P.E. Bozac, A.C. Seto, G.R. Howe, Vol. 34, No. 4, P41-49, April 1995.

Huang, S.S. – Quantification of Asphaltene Flocculation During Miscible CO_2 Flooding in the Weyburn Reservoir, by R.K. Srivastava, S.S. Huang, S.B. Dyer, F.M. Mourits, Vol. 34, No. 8, P31-42, October 1995.

Hydraulic Isolation – Cement Imaging Through Ultrasonics, by G. Uswak, N. McLafferty, Vol. 34, No.1, P28-34, January 1995.

Hydrocarbon Injection – Managing Hydrocarbon Injection at Judy Creek, by C.J. Lloyd, Vol. 34, No. 2, P36-43, February 1995.

Hydrodynamics – Numerical Modelling of the Hydrodynamically Trapped Milk River Gas Field, Western Canada, by H. Lies, J. Letourneau, Vol. 34, No. 10, P 25-30, December 1995.

Hydrogeology Modelling – Numerical Modelling of the Hydrodynamically Trapped Milk River Gas Field, Western Canada, by H. Lies, J. Letourneau, Vol. 34, No. 10, P 25-30, December 1995.

I

Imaging Technology – Cement Imaging Through Ultrasonics, by G. Uswak, N. McLafferty, Vol. 34, No. 1, P28-34, January 1995.

Imbibition – Underbalanced Drilling and Formation Damage—Is it a Total Solution?, by D.B. Bennion, F.B. Thomas, D.W. Bennion, R.F. Bietz, Vol. 34, No. 9, P34-41, November 1995.

Improved Rate of Penetration – Underbalance Drilling—Surface Control Systems, by B. Lunan, Vol. 34, No. 7, P29-35, September 1995.

In Situ Combustion – Improvement of Heavy and Light Oil Recovery with Thermocatalytic In Situ Combustion, by M. Ranjbar, Vol. 34, No. 8, P25-30, October 1995.

Inflow Performance Relationships (IPR) – Electromagnetic Stimulation of Lloydminster Heavy Oil Reservoirs: Field Test Results, by R.J. Davison, Vol. 34, No. 4, P15-24, April 1995.

Inhibitive and Non-inhibitive Fluids – Damage Caused by Clay Based and Clay Free Inhibitive Fluids in Sandstone Formations, by M.A.M. Al-Aboudi, R. Ghofrani, P. Sengupta, Vol. 34, No. 1, P41-46, January 1995.

Integrated – A Practical and Systematic Approach to Horizontal Well Test Analysis, by L. Mattar, M. Santo, Vol. 34, No. 9, P42-46, November 1995.

Interpretation – A Practical and Systematic Approach to Horizontal Well Test Analysis, by L. Mattar, M. Santo, Vol. 34, No. 9, P42-46, November 1995.

Isotherm – Estimation of Average Permeability of Shale From Swelling Data, by S.O. Osisanya, Vol. 34, No. 8, P50-55, October 1995.

J

Jamaluddin, A.K.M. – Controlling Sand Production During Downhole Emulsification, by A.K.M. Jamaluddin, T.W. Nazarko, Vol. 34, No. 7, P22-28, September 1995.

Johnson, P.W. – Design Techniques in Air and Gas Drilling: Cleaning Criteria and Minimum Flowing Pressure Gradients, by P.W. Johnson, Vol. 34, No. 5, P18-26, May 1995.

Judy Creek – Managing Hydrocarbon Injection at Judy Creek, by C.J. Lloyd, Vol. 34, No. 2, P36-43, February 1995.

K

Kalogerakis, N. – Reliability of Horizontal Well Performance on a Field-scale Through Automatic History Matching, by N. Kalogerakis, C. Tomos, Vol. 34, No. 9, P47-55, November 1995.

Kantzas, A . – Two Phase Relative Permeabilities Using the Ultracentrifuge, by A. Kantzas, B. Nikakhtar, D. Ruth, M. Pow, Vol. 34, No. 7, 58-63, September 1995.

Karyampudi, R.S. – Evaluation of Cyclic Steam Performance and Mechanisms in Mobile Heavy Oil Reservoirs at Elk Point Thermal Pilot, by R.S. Karyampudi, Vol. 34, No. 3, P48-56, March 1995.

Kasper, D. – Stratigraphy and Depositional Environments of the Bakken Formation (Late Devonian—Early Mississippian) West-Central Saskatchewan, by D. Kasper, H. Hendry, R. Renaut, Vol. 34, No. 4, P25-32, April 1995.

Khilar, K.C. – Application of Singular Valve Decomposition to Determine Streamline Distribution for Unit Mobility Ratio Displacement, by R.V. Marathe, U.V. Shenoy, K.C. Khilar, Vol. 34, No. 5, P55-62, May 1995.

Kimber, K.D. – Steam-foam Drive Experiments in One-eighth of a Five-spot Pattern, by D.H.-S. Law, R. Ridley, K.D. Kimber, Vol. 34, No. 2, P55-61, February 1995.

Korpany, G . – A Novel Gaslift Tool for Improving Production in Marginal Wells, by P. Toma, G. Korpany, P. Harris, R. Landry, K. Reber, Vol. 34, No. 4, P50-58, April 1995.

Kuhach, J.D. – Optimization of a Mature Steam Flood Utilizing Horizontal Wells, Midway Sunset Field, by J.D. Kuhach, N.A. Myhill, Vol. 34, No. 7, P36-41, September 1995.

L

Laboratory Coreflow Studies – Minimizing Formation Damage in Horizontal Wells: Laboratory and Field Case Studies, by D.B. Bennion, T. Beatty, B. Hebner, R. Hiscock, Vol. 34, No. 6, P57-63, June 1995.

Landry, R. – A Novel Gaslift Tool for Improving Production in Marginal Wells, by P. Toma, G. Korpany, P. Harris, R. Landry, K. Reber, Vol. 34, No. 4, P50-58, April 1995.

Law, D.H.-S. – Steam-foam Drive Experiments in One-eighth of a Five-spot Pattern, by D.H.-S. Law, R. Ridley, K.D. Kimber, Vol. 34, No. 2, P55-61, February 1995.

Letourneau, J. – Numerical Modelling of the Hydrodynamically Trapped Milk River Gas Field, Western Canada, by H. Lies, J. Letourneau, Vol. 34, No. 10, P 25-30, December 1995.

Liebe, H. – Vertical Injection Wells for SAGD: A Practical Option or Not?, by G. Sawhney, H. Liebe, R.M. Butler, Vol. 34, No. 1, P47-54, January 1995.

Lies, H. – Numerical Modelling of the Hydrodynamically Trapped Milk River Gas Field, Western Canada, by H. Lies, J. Letourneau, Vol. 34, No. 10, P 25-30, December 1995.

Lloyd, C.J. – Managing Hydrocarbon Injection at Judy Creek, by C.J. Lloyd, Vol. 34, No. 2, P36-43, February 1995.

Lloydminster – Electromagnetic Stimulation of Lloydminster Heavy Oil Reservoirs: Field Test Results, by R.J. Davison, Vol. 34, No. 4, P15-24, April 1995.

Lower Mississippian – Stratigraphy and Depositional Environments of the Bakken Formation (Late Devonian—Early Mississippian) West-Central Saskatchewan, by D. Kasper, H. Hendry, R. Renaut, Vol. 34, No. 4, P25-32, April 1995.

Lui, X. – Correlation of the Non-Darcy Flow Coefficient, by F. Civan, X. Lui, R.D. Evans, Vol. 34, No. 10, P 50-54, December 1995.

Lunan, B. – Underbalance Drilling—Surface Control Systems, by B. Lunan, Vol. 34, No. 7, P29-35, September 1995.

M

Maini, B.B. – Effect of Temperature on Three-phase Water-oil-gas Relative Permeabilities of Unconsolidated Sand, by M.A. Muqeem, R.G. Bentsen, B.B. Maini, Vol. 34, No. 3, P34-41, March 1995.

Mannhardt, K. – Assessment of Solvent Extraction Efficiency in Sandstones Using Bet Specific Surface Area Measurements, by P.R. French, K. Mannhardt, N. De Bree, J.C. Shaw, Vol. 34, No. 3, P27-33, March 1995.

Marathe, R.V. – Application of Singular Valve Decomposition to Determine Streamline Distribution for Unit Mobility Ratio Displacement, by R.V. Marathe, U.V. Shenoy, K.C. Khilar, Vol. 34, No. 5, P55-62, May 1995.

Marginal Wells – A Novel Gaslift Tool for Improving Production in Marginal Wells, by P. Toma, G. Korpany, P. Harris, R. Landry, K. Reber, Vol. 34, No. 4, P50-58, April 1995.

Material Balance – A Generalized Approach to Material Balance Calculations, by M. Walsh, Vol. 34, No. 1, P55-63, January 1995.

Mattar, L. – A Practical and Systematic Approach to Horizontal Well Test Analysis, by L. Mattar, M. Santo, Vol. 34, No. 9, P42-46, November 1995.

Maurer, W.C. – Recent Advances in Horizontal Drilling, by W.C. Maurer, Vol. 34, No. 9, P25-33, November 1995.

McKibben, M.J. – Oil, Water and Sand Flow Experiments in a Model Horizontal Well, by R.G. Gillies, M.J. McKibben, C.A. Shook, Vol. 34, No. 9, P56-63, November 1995.

McKiernan, D.E. – Extrapolation of Fracture Data from Outcrops of the Austin Chalk to Corresponding Petroleum Reservoirs at Depth, by M. Friedman, D.E. McKiernan, Vol. 34, No. 8, P43-49, October 1995.

McLafferty, N. – Cement Imaging Through Ultrasonics, by G. Uswak, N. McLafferty, Vol. 34, No.1, P28-34, January 1995.

Mehrotra, A.K. – Modelling the Dissolution of a Static and Rising CO_2 Bubble into Athabasca Bitumen, by R.J. Dunn, A.K. Mehrotra, Vol. 34, No. 6, P39-46, June 1995.

Method of Characteristic – Theoretical Analysis of Miscible Displacement in Fractured Porous Media by a One-dimensional Model—Part 1: Theory, by C-T. Tan, A. Firoozabadi, Vol. 34, No. 2, P17-27, February 1995.

Microannulus – Cement Imaging Through Ultrasonics, by G. Uswak, N. McLafferty, Vol. 34, No. 1, P28-34, January 1995.

Microscanner Logs – Fracture Statistics from Horizontal Wellbores, by W.C. Belfield, J.P. Sovich, Vol. 34, No. 6, P47-50, June 1995.

Midway Sunset Field – Optimization of a Mature Steam Flood Utilizing Horizontal Wells, Midway Sunset Field, by J.D. Kuhach, N.A. Myhill, Vol. 34, No. 7, P36-41, September 1995.

Milk River Gas Field – Numerical Modelling of the Hydrodynamically Trapped Milk River Gas Field, Western Canada, by H. Lies, J. Letourneau, Vol. 34, No. 10, P 25-30, December 1995.

Minimum Miscibility Pressure – Quantification of Asphaltene Flocculation During Miscible CO_2 Flooding in the Weyburn Reservoir, by R.K. Srivastava, S.S. Huang, S.B. Dyer, F.M. Mourits, Vol. 34, No. 8, P31-42, October 1995.

Miscible Flood – An Analytical Software for Pool-wide Performance Prediction of EOR Processes, by T. Okazawa, P.E. Bozac, A.C. Seto, G.R. Howe, Vol. 34, No. 4, P41-49, April 1995.

– Managing Hydrocarbon Injection at Judy Creek, by C.J. Lloyd, Vol. 34, No. 2, P36-43, February 1995.

Miscible Displacement – Quantification of Asphaltene Flocculation During Miscible CO_2 Flooding in the Weyburn Reservoir, by R.K. Srivastava, S.S. Huang, S.B. Dyer, F.M. Mourits, Vol. 34, No. 8, P31-42, October 1995.

– Theoretical Analysis of Miscible Displacement in Fractured Porous Media by a One-dimensional Model—Part 1: Theory, by C-T. Tan, A. Firoozabadi, Vol. 34, No. 2, P17-27, February 1995.

– Theoretical Analysis of Miscible Displacement in Fractured Porous Media by a One-dimensional Model—Part 2: Features, by C-T. Tan, A. Firoozabadi, Vol. 34, No. 2, P28-35, February 1995.

Mobile Heavy Oil – Evaluation of Cyclic Steam Performance and Mechanisms in Mobile Heavy Oil Reservoirs at Elk Point Thermal Pilot, by R.S. Karyampudi, Vol. 34, No. 3, P48-56, March 1995.

Mobility Control – Waterflooding Bottom Water Formations Using the Dynamic Blocking Method, by K. Yeung, S.M. Farouq Ali, Vol. 34, No. 7, P50-57, September 1995.

Modelling – Modelling of Emulsion Flow in Porous Media, by S.M. Farouq Ali, J.H. Abou-Kassen, Vol. 34, No. 6, P30-38, June 1995.

Mourits, F. – Modelling of Undulating Wellbore Trajectories, by R. Sharma, D. Zimmerman, F. Mourits, Vol. 34, No. 10, P16-24, December 1995.

– Quantification of Asphaltene Flocculation During Miscible CO_2 Flooding in the Weyburn Reservoir, by R.K. Srivastava, S.S. Huang, S.B. Dyer, F.M. Mourits, Vol. 34, No. 8, P31-42, October 1995.

Multibranch Wells – Recent Advances in Horizontal Drilling, by W.C. Maurer, Vol. 34, No. 9, P25-33, November 1995.

Multiphase Flow – Correlation of the Non-Darcy Flow Coefficient, by F. Civan, X. Lui, R.D. Evans, Vol. 34, No.10, P 50-54, December 1995.

Muqeem, M.A. – Effect of Temperature on Three-phase Water-oil-gas Relative Permeabilities of Unconsolidated Sand, by M.A. Muqeem, R.G. Bentsen, B.B. Maini, Vol. 34, No. 3, P34-41, March 1995.

Myhill, N.A. – Optimization of a Mature Steam Flood Utilizing Horizontal Wells, Midway Sunset Field, by J.D. Kuhach, N.A. Myhill, Vol. 34, No. 7, P36-41, September 1995.

N

Nasr, T.N. – Steam-CO_2 Recovery Processes for Bottom Water Oil Reservoirs, by T.N. Nasr, G.E. Pierce, Vol. 34, No. 7, P42-49, September 1995.

Naturally Fractured Reservoirs – Extrapolation of Fracture Data from Outcrops of the Austin Chalk to Corresponding Petroleum Reservoirs at Depth, by M. Friedman, D.E. McKiernan, Vol. 34, No. 8, P43-49, October 1995.

– Fracture Statistics from Horizontal Wellbores, by W.C. Belfield, J.P. Sovich, Vol. 34, No. 6, P47-50, June 1995.

Nazarko, T.W. – Controlling Sand Production During Downhole Emulsification, by A.K.M. Jamaluddin, T.W. Nazarko, Vol. 34, No. 7, P22-28, September 1995.

Nelson, R. – Vertical and Lateral Variations in Fracture Spacing in Folded Carbonate Sections and its Relation to Locating Horizontal Wells, by R. Nelson, S. Serra, Vol. 34, No. 6, P51-56, June 1995.

Nikakhtar, B. – Two Phase Relative Permeabilities Using the Ultracentrifuge, by A. Kantzas, B. Nikakhtar, D. Ruth, M. Pow, Vol. 34, No. 7, P58-63, September 1995.

Nitrogen Adsorption – Assessment of Solvent Extraction Efficiency in Sandstones Using Bet Specific Surface Area Measurements by P.R. French, K. Mannhardt, N. De Bree, J.C. Shaw, Vol. 34, No. 3, P27-33, March 1995.

Non-uniform Layers – Pressure Transient Testing of the Heterogeneous Reservoirs, by R. Pecher, J.F. Stanislav, C.V. Easwaran, Vol. 34, No. 3, P19-26, March 1995.

Non-Darcy Flow – Correlation of the Non-Darcy Flow Coefficient, by F. Civan, X. Lui, R.D. Evans, Vol. 34, No. 10, P50-54, December 1995.

Nonlinear Regression – Automated Method for Smoothing Experimental Flash Liberation PVT Data, by H.Y. Al-Yousef, M.A. Al-Marhoun, Vol. 34, No. 3, P42-47, March 1995.

Numerical Simulation – Computation of Mud Filtrate Invasion Profiles, by G.D. Phelps, Vol. 34, No. 1, P18-27, January 1995.

– Theoretical Analysis of Miscible Displacement in Fractured Porous Media by a One-dimensional Model—Part 2: Features, by C-T. Tan, A. Firoozabadi, Vol. 34, No. 2, P28-35, February 1995.

O

Oil Recovery – Steam-CO_2 Recovery Processes for Bottom Water Oil Reservoirs, by T.N. Nasr, G.E. Pierce, Vol. 34, No. 7, P42-49, September 1995.

Oil Reserves – A Generalized Approach to Material Balance Calculations, by M. Walsh, Vol. 34, No. 1, P55-63, January 1995.

Oil Sands – Enhanced Steam-assisted Gravity Drainage—A New Horizontal Well Recovery Process for Peace River, Canada, by R. Hamm, T. Ong, Vol. 34, No. 4, P33-40, April 1995.

– Evolution of Steam-based Technology for the Recovery of Canadian Heavy Oil Reservoirs, by M. Polikar, D.A. Redford, Vol. 34, No. 5, P33-40, May 1995.

Oil-gas Flow – A Novel Gaslift Tool for Improving Production in Marginal Wells, by P. Toma, G. Korpany, P. Harris, R. Landry, K. Reber, Vol. 34, No. 4, P50-58, April 1995.

Okazawa, T. – An Analytical Software for Pool-wide Performance Prediction of EOR Processes, by T. Okazawa, P.E. Bozac, A.C. Seto, G.R. Howe, Vol. 34, No. 4, P41-49, April 1995.

Olanson, M.T. – Canadian Coiled Tubing Horizontal Drilling: Technology and Applications, by R. Hatala, M.T. Olanson, P. Davis, Vol. 34, No. 6, P22-29, June 1995.

Ong, T. – Enhanced Steam-assisted Gravity Drainage—A New Horizontal Well Recovery Process for Peace River, Canada, by R. Hamm, T. Ong, Vol. 34, No. 4, P33-40, April 1995.

Optimum Drilling Parameters – An Experimental Study of Particle Transport in a Deviated Wellbore, by R.W. Watson, M. Adewumi, S. Tian, J. Hagar, Vol. 34, No. 2, P51-54, February 1995.

Osisanya, S.O. – Estimation of Average Permeability of Shale From Swelling Data, by S.O. Osisanya, Vol. 34, No. 8, P50-55, October 1995.

Ottawa Sandpack – Effect of Temperature on Three-phase Water-oil-gas Relative Permeabilities of Unconsolidated Sand, by M.A. Muqeem, R.G. Bentsen, B.B. Maini, Vol. 34, No. 3, P34-41, March 1995.

Outcrop – Extrapolation of Fracture Data from Outcrops of the Austin Chalk to Corresponding Petroleum Reservoirs at Depth, by M. Friedman, D.E. McKiernan, Vol. 34, No. 8, P43-49, October 1995.

P

Pattern Balancing – An Analytical Software for Pool-wide Performance Prediction of EOR Processes, by T. Okazawa, P.E. Bozac, A.C. Seto, G.R. Howe, Vol. 34, No. 4, P41-49, April 1995.

Peace River – Enhanced Steam-assisted Gravity Drainage—A New Horizontal Well Recovery Process for Peace River, Canada, by R. Hamm, T. Ong, Vol. 34, No. 4, P33-40, April 1995.

Pecher, R. – Pressure Transient Testing of the Heterogeneous Reservoirs, by R. Pecher, J.F. Stanislav, C.V. Easwaran, Vol. 34, No. 3, P19-26, March 1995.

Permeability – Correlation of the Non-Darcy Flow Coefficient, by F. Civan, X. Lui, R.D. Evans, Vol. 34, No. 10, P 50-54, December 1995.

– Estimation of Average Permeability of Shale From Swelling Data, by S.O. Osisanya, Vol. 34, No. 8, P50-55, October 1995.

Petroleum Hydrogeology – Numerical Modelling of the Hydrodynamically Trapped Milk River Gas Field, Western Canada, by H. Lies, J. Letourneau, Vol. 34, No. 10, P 25-30, December 1995.

Petrophysics – Estimation of Average Permeability of Shale From Swelling Data, by S.O. Osisanya, Vol. 34, No. 8, P50-55, October 1995.

Phelps, G.D. – Computation of Mud Filtrate Invasion Profiles, by G.D. Phelps, Vol. 34, No. 1, P18-27, January 1995.

Physical Model – Steam-foam Drive Experiments in One-eighth of a Five-spot Pattern, by D.H.-S. Law, R. Ridley, K.D. Kimber, Vol. 34, No. 2, P55-61, February 1995.

Pierce, G.E. – Steam-CO_2 Recovery Processes for Bottom Water Oil Reservoirs, by T.N. Nasr, G.E. Pierce, Vol. 34, No. 7, P42-49, September 1995.

Polikar, M. – Evolution of Steam-based Technology for the Recovery of Canadian Heavy Oil Reservoirs, by M. Polikar, D.A. Redford, Vol. 34, No. 5, P33-40, May 1995.

Porosity – Assessment of Solvent Extraction Efficiency in Sandstones Using Bet Specific Surface Area Measurements by P.R. French, K. Mannhardt, N. De Bree, J.C. Shaw, Vol. 34, No. 3, P27-33, March 1995.

Porous Media – Correlation of the Non-Darcy Flow Coefficient, by F. Civan, X. Lui, R.D. Evans, Vol. 34, No. 10, P 50-54, December 1995.

Potential – Estimation of Average Permeability of Shale From Swelling Data, by S.O. Osisanya, Vol. 34, No. 8, P50-55, October 1995.

Pow, M. – Two Phase Relative Permeabilities Using the Ultracentrifuge, by A. Kantzas, B. Nikakhtar, D. Ruth, M. Pow, Vol. 34, No. 7, P58-63, September 1995.

Prediction – An Analytical Software for Pool-wide Performance Prediction of EOR Processes, by T. Okazawa, P.E. Bozac, A.C. Seto, G.R. Howe, Vol. 34, No. 4, P41-49, April 1995.

Pressure Buildup – Analysing Pressure Buildup after a Multiple-rate Drillstem Test in a Well Near a Fault, by D.I. Exall, Vol. 34, No. 5, P47-54, May 1995.

Pressure Differential – Enhanced Steam-assisted Gravity Drainage—A New Horizontal Well Recovery Process for Peace River, Canada, by R. Hamm, T. Ong, Vol. 34, No. 4, P33-40, April 1995.

Pressure Gradients, Cleaning – Design Techniques in Air and Gas Drilling: Cleaning Criteria and Minimum Flowing Pressure Gradients, by P.W. Johnson, Vol. 34, No. 5, P18-26, May 1995.

Pressure Gradient – Oil, Water and Sand Flow Experiments in a Model Horizontal Well, by R.G. Gillies, M.J. McKibben, C.A. Shook, Vol. 34, No. 9, P56-63, November 1995.

Pressure Transient Analysis – Pressure Transient Testing of the Heterogeneous Reservoirs, by R. Pecher, J.F. Stanislav, C.V. Easwaran, Vol. 34, No. 3, P19-26, March 1995.

Process Evaluation – Evolution of Steam-based Technology for the Recovery of Canadian Heavy Oil Reservoirs, by M. Polikar, D.A. Redford, Vol. 34, No. 5, P33-40, May 1995.

Produced Water Injection – Downhole Water Loop—A New Completion Method to Minimize Oilwell Production Water Cut in a Bottom-water-drive Reservoir, by A.K. Wojtanowicz, H. Xu, Vol. 34, No. 8, P56-62, October 1995.

PVT Tests – Automated Method for Smoothing Experimental Flash Liberation PVT Data, by H.Y. Al-Yousef, M.A. Al-Marhoun, Vol. 34, No. 3, P42-47, March 1995.

Pyrolysis – Improvement of Heavy and Light Oil Recovery with Thermocatalytic In Situ Combustion, by M. Ranjbar, Vol. 34, No. 8, P25-30, October 1995.

Q

Quarter Five-spot Model – Effect of Horizontal-vertical Well Configuration on Oil Recovery by Alkaline Flooding, by A.A. H. El-Sayed, M.S. Almalik, Vol. 34, No. 9, P19-24, November 1995.

R

Radial Influx – Oil, Water and Sand Flow Experiments in a Model Horizontal Well, by R.G. Gillies, M.J. McKibben, C.A. Shook, Vol. 34, No. 9, P56-63, November 1995.

Ranjbar, M. – Improvement of Heavy and Light Oil Recovery with Thermocatalytic In Situ Combustion, by M. Ranjbar, Vol. 34, No. 8, P25-30, October 1995.

Reber, K. – A Novel Gaslift Tool for Improving Production in Marginal Wells, by P. Toma, G. Korpany, P. Harris, R. Landry, K. Reber, Vol. 34, No. 4, P50-58, April 1995.

Redford, D.A. – Evolution of Steam-based Technology for the Recovery of Canadian Heavy Oil Reservoirs, by M. Polikar, D.A. Redford, Vol. 34, No. 5, P33-40, May 1995.

Reduced Stimulation Costs – Underbalance Drilling—Surface Control Systems, by B. Lunan, Vol. 34, No. 7, P29-35, September 1995.

Regain Flow Capacity – New Laboratory Procedures for Evaluation of Drilling Induced Formation Damage and Horizontal Well Performance, by N.G. Gruber, K.L. Adair, Vol. 34, No. 5, P27-32, May 1995.

Regulation – Coalbed Methane in Alberta, by T. Byrnes, K. Schuldhaus, Vol. 34, No. 3, P57-62, March 1995.

Relative Permeability – Effect of Temperature on Three-phase Water-oil-gas Relative Permeabilities of Unconsolidated Sand, by M.A. Muqeem, R.G. Bentsen, B.B. Maini, Vol. 34, No. 3, P34-41, March 1995.

– Two Phase Relative Permeabilities Using the Ultracentrifuge, by A. Kantzas, B. Nikakhtar, D. Ruth, M. Pow, Vol. 34, No. 7, P58-63, September 1995.

Reliability – Reliability of Horizontal Well Performance on a Field-scale Through Automatic History Matching, by N. Kalogerakis, C. Tomos, Vol. 34, No. 9, P47-55, November 1995.

Renaut, R. – Stratigraphy and Depositional Environments of the Bakken Formation (Late Devonian Early Mississippian) West-Central Saskatchewan, by D. Kasper, H. Hendry, R. Renaut, Vol. 34, No. 4, P25-32, April 1995.

Reserve Estimates – Reserve Estimates: Uncertainty and its Implications, by D.C. Elliott, Vol. 34, No. 4, P59-62, April 1995.

Reservoir Characterization – The Effects of Reservoir Heterogeneity on Predicted Waterflood Performance in the Dodsland Field, by M.R. Carlson, Vol. 34, No. 10, , December 1995.

Reservoir Engineering – A Generalized Approach to Material Balance Calculations, by M. Walsh, Vol. 34, No.1, P55-63, January 1995.

Reservoir Mechanisms – Evaluation of Cyclic Steam Performance and Mechanisms in Mobile Heavy Oil Reservoirs at Elk Point Thermal Pilot, by R.S. Karyampudi, Vol. 34, No. 3, P48-56, March 1995.

Reservoir Performance – A Generalized Approach to Material Balance Calculations, by M. Walsh, Vol. 34, No. 1, P55-63, January 1995.

Resistive Heating – Electromagnetic Stimulation of Lloydminster Heavy Oil Reservoirs: Field Test Results, by R.J. Davison, Vol. 34, No. 4, P15-24, April 1995.

Resistivity Profiles – Computation of Mud Filtrate Invasion Profiles, by G.D. Phelps, Vol. 34, No. 1, P18-27, January 1995.

Ridley, R. – Steam-foam Drive Experiments in One-eighth of a Five-spot Pattern, by D.H.-S. Law, R. Ridley, K.D. Kimber, Vol. 34, No. 2, P55-61, February 1995.

Ruth, D. – Two Phase Relative Permeabilities Using the Ultracentrifuge, by A. Kantzas, B. Nikakhtar, D. Ruth, M. Pow, Vol. 34, No. 7, P58-63, September 1995.

S

Safaniya Crude Oil – Effect of Horizontal-vertical Well Configuration on Oil Recovery by Alkaline Flooding, by A.A. H. El-Sayed, M.S. Almalik, Vol. 34, No. 9, P19-24, November 1995.

Sand Production – A Critical Review of Existing Gravel-pack Design Criteria, by A. Bouhroum, F. Civan, Vol. 34, No.1, P41-46, January 1995.

– Controlling Sand Production During Downhole Emulsification, by A.K.M. Jamaluddin, T.W. Nazarko, Vol. 34, No. 7, P22-28, September 1995.

Sand Prevention – A Critical Review of Existing Gravel-pack Design Criteria, by A. Bouhroum, F. Civan, Vol. 34, No. 1, P41-46, January 1995.

Sand Transport – Oil, Water and Sand Flow Experiments in a Model Horizontal Well, by R.G. Gillies, M.J. McKibben, C.A. Shook, Vol. 34, No. 9, P56-63, November 1995.

Santo, M. – A Practical and Systematic Approach to Horizontal Well Test Analysis, by L. Mattar, M. Santo, Vol. 34, No. 9, P42-46, November 1995.

Saskatchewan – The Effects of Reservoir Heterogeneity on Predicted Waterflood Performance in the Dodsland Field, by M.R. Carlson, Vol. 34, No. 10, P 31-38, December 1995.

Sawhney, G. – Vertical Injection Wells for SAGD: A Practical Option or Not?, by G. Sawhney, H. Liebe, R.M. Butler, Vol. 34, No. 1, P47-54, January 1995.

Scaled Model – Steam-CO_2 Recovery Processes for Bottom Water Oil Reservoirs, by T.N. Nasr, G.E. Pierce, Vol. 34, No. 7, P42-49, September 1995.

Schuldhaus, K. – Coalbed Methane in Alberta, by T. Byrnes, K. Schuldhaus, Vol. 34, No. 3, P57-62, March 1995.

Screening Guidelines – Evaluation of Cyclic Steam Performance and Mechanisms in Mobile Heavy Oil Reservoirs at Elk Point Thermal Pilot, by R.S. Karyampudi, Vol. 34, No. 3, P48-56, March 1995.

Secondary Recovery – Effect of Horizontal-vertical Well Configuration on Oil Recovery by Alkaline Flooding, by A.A. H. El-Sayed, M.S. Almalik, Vol. 34, No. 9, P19-24, November 1995.

Segmental – A Practical and Systematic Approach to Horizontal Well Test Analysis, by L. Mattar, M. Santo, Vol. 34, No. 9, P42-46, November 1995.

Sengupta, P. – Damage Caused by Clay Based and Clay Free Inhibitive Fluids in Sandstone Formations, by M.A.M. Al-Aboudi, R. Ghofrani, P. Sengupta, Vol. 34, No. 1, P41-46, January 1995.

Serra, S. – Vertical and Lateral Variations in Fracture Spacing in Folded Carbonate Sections and its Relation to Locating Horizontal Wells, by R. Nelson, S. Serra, Vol. 34, No. 6, P51-56, June 1995.

Seto, A.C. – An Analytical Software for Pool-wide Performance Prediction of EOR Processes, by T. Okazawa, P.E. Bozac, A.C. Seto, G.R. Howe, Vol. 34, No. 4, P41-49, April 1995.

Shale – Estimation of Average Permeability of Shale From Swelling Data, by S.O. Osisanya, Vol. 34, No. 8, P50-55, October 1995.

Sharma, R. – Modelling of Undulating Wellbore Trajectories, by R. Sharma, D. Zimmerman, F. Mourits, Vol. 34, No. 10, P 16-24, December 1995.

Shaw, J.C. – Assessment of Solvent Extraction Efficiency in Sandstones Using Bet Specific Surface Area Measurements, by P.R. French, K. Mannhardt, N. De Bree, J.C. Shaw, Vol. 34, No. 3, P27-33, March 1995.

Shenoy, U.V. – Application of Singular Valve Decomposition to Determine Streamline Distribution for Unit Mobility Ratio Displacement, by R.V. Marathe, U.V. Shenoy, K.C. Khilar, Vol. 34, No. 5, P55-62, May 1995.

Shook, C.A . – Oil, Water and Sand Flow Experiments in a Model Horizontal Well, by R.G. Gillies, M.J. McKibben, C.A. Shook, Vol. 34, No. 9, P56-63, November 1995.

Simulated Borehole Conditions – Damage Caused by Clay Based and Clay Free Inhibitive Fluids in Sandstone Formations, by M.A.M. Al-Aboudi, R. Ghofrani, P. Sengupta, Vol. 34, No. 1, P41-46, January 1995.

Simulation – Optimization of a Mature Steam Flood Utilizing Horizontal Wells, Midway Sunset Field, by J.D. Kuhach, N.A. Myhill, Vol. 34, No. 7, P36-41, September 1995.

– The Effects of Reservoir Heterogeneity on Predicted Waterflood Performance in the Dodsland Field, by M.R. Carlson, Vol. 34, No. 10, , December 1995.

Single Phase Flow – Correlation of the Non-Darcy Flow Coefficient, by F. Civan, X. Lui, R.D. Evans, Vol. 34, No. 10, P 50-54, December 1995.

Singular Value Decomposition – Application of Singular Valve Decomposition to Determine Streamline Distribution for Unit Mobility Ratio Displacement, by R.V. Marathe, U.V. Shenoy, K.C. Khilar, Vol. 34, No. 5, P55-62, May 1995.

Slim Hole – Recent Advances in Horizontal Drilling, by W.C. Maurer, Vol. 34, No. 9, P25-33, November 1995.

Slotted Liner – Oil, Water and Sand Flow Experiments in a Model Horizontal Well, by R.G. Gillies, M.J. McKibben, C.A. Shook, Vol. 34, No. 9, P56-63, November 1995.

Solvent Extraction – Assessment of Solvent Extraction Efficiency in Sandstones Using Bet Specific Surface Area Measurements, by P.R. French, K. Mannhardt, N. De Bree, J.C. Shaw, Vol. 34, No. 3, P27-33, March 1995.

Sovich, J.P – Fracture Statistics from Horizontal Wellbores, by W.C. Belfield, J.P. Sovich, Vol. 34, No. 6, P47-50, June 1995.

Specific Surface Area – Assessment of Solvent Extraction Efficiency in Sandstones Using Bet Specific Surface Area Measurements by P.R. French, K. Mannhardt, N. De Bree, J.C. Shaw, Vol. 34, No. 3, P27-33, March 1995.

Spontaneous Countercurrent Imbibition – Underbalanced Drilling and Formation Damage—Is it a Total Solution?, by D.B. Bennion, F.B. Thomas, D.W. Bennion, R.F. Bietz, Vol. 34, No. 9, P34-41, November 1995.

Srivastava, R.K. – Quantification of Asphaltene Flocculation During Miscible CO_2 Flooding in the Weyburn Reservoir, by R.K. Srivastava, S.S. Huang, S.B. Dyer, F.M. Mourits, Vol. 34, No. 8, P31-42, October 1995.

Stanislav, J.F. – Pressure Transient Testing of the Heterogeneous Reservoirs, by R. Pecher, J.F. Stanislav, C.V. Easwaran, Vol. 34, No. 3, P19-26, March 1995.

Static/Rising Bubble – Modelling the Dissolution of a Static and Rising CO_2 Bubble into Athabasca Bitumen, by R.J. Dunn, A.K. Mehrotra, Vol. 34, No. 6, P39-46, June 1995.

Steam – Vertical Injection Wells for SAGD: A Practical Option or Not?, by G. Sawhney, H. Liebe, R.M. Butler, Vol. 34, No. 1, P47-54, January 1995.

Steam Injection – Steam-CO_2 Recovery Processes for Bottom Water Oil Reservoirs, by T.N. Nasr, G.E. Pierce, Vol. 34, No. 7, P42-49, September 1995.

Steam-assisted Gravity Drainage – Evolution of Steam-based Technology for the Recovery of Canadian Heavy Oil Reservoirs, by M. Polikar, D.A. Redford, Vol. 34, No. 5, P33-40, May 1995.

– Vertical Injection Wells for SAGD: A Practical Option or Not?, by G. Sawhney, H. Liebe, R.M. Butler, Vol. 34, No. 1, P47-54, January 1995.

Steam-foam Drive Process – Steam-foam Drive Experiments in One-eighth of a Five-spot Pattern, by D.H.-S. Law, R. Ridley, K.D. Kimber, Vol. 34, No. 2, P55-61, February 1995.

Stratigraphy – Stratigraphy and Depositional Environments of the Bakken Formation (Late Devonian—Early Mississippian) West-Central Saskatchewan, by D. Kasper, H. Hendry, R. Renaut, Vol. 34, No. 4, P25-32, April 1995.

Streamline – Application of Singular Valve Decomposition to Determine Streamline Distribution for Unit Mobility Ratio Displacement, by R.V. Marathe, U.V. Shenoy, K.C. Khilar, Vol. 34, No. 5, P55-62, May 1995.

Subsurface – Extrapolation of Fracture Data from Outcrops of the Austin Chalk to Corresponding Petroleum Reservoirs at Depth, by M. Friedman, D.E. McKiernan, Vol. 34, No. 8, P43-49, October 1995.

Sweep Efficiency – An Analytical Software for Pool-wide Performance Prediction of EOR Processes, by T. Okazawa, P.E. Bozac, A.C. Seto, G.R. Howe, Vol. 34, No. 4, P41-49, April 1995.

Swelling – Estimation of Average Permeability of Shale From Swelling Data, by S.O. Osisanya, Vol. 34, No. 8, P50-55, October 1995.

T

Tan, C-T. – Theoretical Analysis of Miscible Displacement in Fractured Porous Media by a One-dimensional Model—Part 1: Theory, by C-T. Tan, A. Firoozabadi, Vol. 34, No. 2, P17-27, February 1995.

– Theoretical Analysis of Miscible Displacement in Fractured Porous Media by a One-dimensional Model—Part 2: Features, by C-T. Tan, A. Firoozabadi, Vol. 34, No. 2, P28-35, February 1995.

Temperature – Effect of Temperature on Three-phase Water-oil-gas Relative Permeabilities of Unconsolidated Sand, by M.A. Muqeem, R.G. Bentsen, B.B. Maini, Vol. 34, No. 3, P34-41, March 1995.

Tertiary Recovery – Effect of Horizontal-vertical Well Configuration on Oil Recovery by Alkaline Flooding, by A.A. H. El-Sayed, M.S. Almalik, Vol. 34, No. 9, P19-24, November 1995.

Texas – Extrapolation of Fracture Data from Outcrops of the Austin Chalk to Corresponding Petroleum Reservoirs at Depth, by M. Friedman, D.E. McKiernan, Vol. 34, No. 8, P43-49, October 1995.

Thermal Recovery – Optimization of a Mature Steam Flood Utilizing Horizontal Wells, Midway Sunset Field, by J.D. Kuhach, N.A. Myhill, Vol. 34, No. 7, P36-41, September 1995.

- Steam-foam Drive Experiments in One-eighth of a Five-spot Pattern, by D.H.-S. Law, R. Ridley, K.D. Kimber, Vol. 34, No. 2, P55-61, February 1995.
- Vertical Injection Wells for SAGD: A Practical Option or Not?, by G. Sawhney, H. Liebe, R.M. Butler, Vol. 34, No. 1, P47-54, January 1995.

Thermal Recovery by Steam – Evolution of Steam-based Technology for the Recovery of Canadian Heavy Oil Reservoirs, by M. Polikar, D.A. Redford, Vol. 34, No. 5, P33-40, May 1995.

Thermal Recovery Pilot – Evaluation of Cyclic Steam Performance and Mechanisms in Mobile Heavy Oil Reservoirs at Elk Point Thermal Pilot, by R.S. Karyampudi, Vol. 34, No. 3, P48-56, March 1995.

Thermocatalytic Reactions – Improvement of Heavy and Light Oil Recovery with Thermocatalytic In Situ Combustion, by M. Ranjbar, Vol. 34, No. 8, P25-30, October 1995.

Thomas, F.B. – Underbalanced Drilling and Formation Damage—Is it a Total Solution?, by D.B. Bennion, F.B. Thomas, D.W. Bennion, R.F. Bietz, Vol. 34, No. 9, P34-41, November 1995.

Three-phase – Effect of Temperature on Three-phase Water-oil-gas Relative Permeabilities of Unconsolidated Sand, by M.A. Muqeem, R.G. Bentsen, B.B. Maini, Vol. 34, No. 3, P34-41, March 1995.

Tian, S. – An Experimental Study of Particle Transport in a Deviated Wellbore, by R.W. Watson, M. Adewumi, S. Tian, J. Hagar, Vol. 34, No. 2, P51-54, February 1995.

Toma, P. – A Novel Gaslift Tool for Improving Production in Marginal Wells, by P. Toma, G. Korpany, P. Harris, R. Landry, K. Reber, Vol. 34, No. 4, P50-58, April 1995.

Tomos, C. – Reliability of Horizontal Well Performance on a Field-scale Through Automatic History Matching, by N. Kalogerakis, C. Tomos, Vol. 34, No. 9, P47-55, November 1995.

Tortuosity – Correlation of the Non-Darcy Flow Coefficient, by F. Civan, X. Lui, R.D. Evans, Vol. 34, No.10, P 50-54, December 1995.
- Modelling of Undulating Wellbore Trajectories, by R. Sharma, D. Zimmerman, F. Mourits, Vol. 34, No. 10, , December 1995.

Tubing Heating – Electromagnetic Stimulation of Lloydminster Heavy Oil Reservoirs: Field Test Results, by R.J. Davison, Vol. 34, No. 4, P15-24, April 1995.

Tubular Goods – Resistance and Deformation of Tubular Goods Under Nonuniform and Combined External Loads, by A.A.H. El-Sayed, Vol. 34, No. 2, P44-50, February 1995.

U

Ultrasonics – Cement Imaging Through Ultrasonics, by G. Uswak, N. McLafferty, Vol. 34, No. 1, P28-34, January 1995.

Underbalanced Drilling – Underbalanced Drilling and Formation Damage—Is it a Total Solution?, by D.B. Bennion, F.B. Thomas, D.W. Bennion, R.F. Bietz, Vol. 34, No. 9, P34-41, November 1995.

Undulating – Modelling of Undulating Wellbore Trajectories, by R. Sharma, D. Zimmerman, F. Mourits, Vol. 34, No. 10, , December 1995.

Unit Mobility Ratio – Application of Singular Valve Decomposition to Determine Streamline Distribution for Unit Mobility Ratio Displacement, by R.V. Marathe, U.V. Shenoy, K.C. Khilar, Vol. 34, No. 5, P55-62, May 1995.

Upper Devonian – Stratigraphy and Depositional Environments of the Bakken Formation (Late Devonian—Early Mississippian) West-Central Saskatchewan, by D. Kasper, H. Hendry, R. Renaut, Vol. 34, No. 4, P25-32, April 1995.

Uswak, G. – Cement Imaging Through Ultrasonics, by G. Uswak, N. McLafferty, Vol. 34, No. 1, P28-34, January 1995.

V

Vertical Injection Wells – Vertical Injection Wells for SAGD: A Practical Option or Not?, by G. Sawhney, H. Liebe, R.M. Butler, Vol. 34, No. 1, P47-54, January 1995.

Viking – The Effects of Reservoir Heterogeneity on Predicted Waterflood Performance in the Dodsland Field, by M.R. Carlson, Vol. 34, No. 10, , December 1995.

Volatile-oils – A Generalized Approach to Material Balance Calculations, by M. Walsh, Vol. 34, No. 1, P55-63, January 1995.

Volumetric Requirements – Design Techniques in Air and Gas Drilling: Cleaning Criteria and Minimum Flowing Pressure Gradients, by P.W. Johnson, Vol. 34, No. 5, P18-26, May 1995.

W

Walsh, M. – A Generalized Approach to Material Balance Calculations, by M. Walsh, Vol. 34, No. 1, P55-63, January 1995.

Water Coning – Downhole Water Loop—A New Completion Method to Minimize Oilwell Production Water Cut in a Bottom-water-drive Reservoir, by A.K. Wojtanowicz, H. Xu, Vol. 34, No. 8, P56-62, October 1995.

Waterflood – Waterflooding Bottom Water Formations Using the Dynamic Blocking Method, by K. Yeung, S.M. Farouq Ali, , Vol. 34, No. 7, P50-57, September 1995.
- Application of Singular Valve Decomposition to Determine Streamline Distribution for Unit Mobility Ratio Displacement, by R.V. Marathe, U.V. Shenoy, K.C. Khilar, Vol. 34, No. 5, P55-62, May 1995.
- The Effects of Reservoir Heterogeneity on Predicted Waterflood Performance in the Dodsland Field, by M.R. Carlson, Vol. 34, No. 10, , December 1995.

Watson, R.W. – An Experimental Study of Particle Transport in a Deviated Wellbore, by R.W. Watson, M. Adewumi, S. Tian, J. Hagar, Vol. 34, No. 2, P51-54, February 1995.

Well Flows – Underbalance Drilling—Surface Control Systems, by B. Lunan, Vol. 34, No. 7, P29-35, September 1995.

Well Testing – Analysing Pressure Buildup after a Multiple-rate Drillstem Test in a Well Near a Fault, by D.I. Exall, Vol. 34, No. 5, P47-54, May 1995.

Well Test – A Practical and Systematic Approach to Horizontal Well Test Analysis, by L. Mattar, M. Santo, Vol. 34, No. 9, P42-46, November 1995.

Well Test Analysis – Practical Aspects of Well Test Analysis Under Composite Reservoirs Situations, by A.K. Ambastha, Vol. 34, No. 5, P41-46, May 1995.

Wellbore – Modelling of Undulating Wellbore Trajectories, by R. Sharma, D. Zimmerman, F. Mourits, Vol. 34, No. 10,P 16-24 , December 1995.

West-central Saskatchewan – Stratigraphy and Depositional Environments of the Bakken Formation (Late Devonian Early Mississippian) West-Central Saskatchewan, by D. Kasper, H. Hendry, R. Renaut, Vol. 34, No. 4, P25-32, April 1995.

Wettability Shift – Evaluation of Cyclic Steam Performance and Mechanisms in Mobile Heavy Oil Reservoirs at Elk Point Thermal Pilot, by R.S. Karyampudi, Vol. 34, No. 3, P48-56, March 1995.

Weyburn Reservoir – Quantification of Asphaltene Flocculation During Miscible CO_2 Flooding in the Weyburn Reservoir, by R.K. Srivastava, S.S. Huang, S.B. Dyer, F.M. Mourits, Vol. 34, No. 8, P31-42, October 1995.

Wojtanowicz, A.K. – Downhole Water Loop—A New Completion Method to Minimize Oilwell Production Water Cut in a Bottom-water-drive Reservoir, by A.K. Wojtanowicz, H. Xu, Vol. 34, No. 8, P56-62, October 1995.

X

Xu, H. – Downhole Water Loop—A New Completion Method to Minimize Oilwell Production Water Cut in a Bottom-water-drive Reservoir, by A.K. Wojtanowicz, H. Xu, Vol. 34, No. 8, P56-62, October 1995.

Y

Y-correlation – Automated Method for Smoothing Experimental Flash Liberation PVT Data, by H.Y. Al-Yousef, M.A. Al-Marhoun, Vol. 34, No. 3, P42-47, March 1995.

Yeung, K. – Waterflooding Bottom Water Formations Using the Dynamic Blocking Method, by K. Yeung, S.M. Farouq Ali, Vol. 34, No. 7, P50-57, September 1995.

Z

Zimmerman, D. – Modelling of Undulating Wellbore Trajectories, by R. Sharma, D. Zimmerman, F. Mourits, Vol. 34, No. 10, , December 1995.